Till

(Page 1 of 2)

# State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER U-R-11-28 Relating to Certification of New Off-Road Compression-Ignition Equipment Engines

#### CASE CORPORATION

Pursuant to the authority vested in the Air Resources Board (Board) by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and exhaust emission control system produced by the manufacturer are certified as described below for use in off-road equipment:

Model Year: 2001

Typical Equipment Usage: Tractor and Other Industrial Equipment

Fuel Type: Diesel

Engine Family	Engine Displacement (liters)	Exhaust Emission Control Systems and Special Features
1X9XL0540AAA (A563)	8.8	Powertrain Control Module Turbocharger
		Charge Air Cooler Direct Diesel Injection

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values for total hydrocarbons (THC), carbon monoxide (CO), oxides of nitrogen (NOx), and particulate matter (PM) (units are expressed in grams per kilowatt-hour (g/kw-hr)), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423, as amended by Board approval on January 28, 2000):

Engine Power <u>Rating (kw)</u>	Emission Standard <u>Category</u>		Exhaust Emissions (g/kw-hr)				Smoke Opacity (%)		
			NMHC + NOx	<u>co</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>	
225 <u>&lt;</u> KW<450	Tier 2	Standard Certification	6.4 6.2	3.5 2.2	0.20 0.18	20 10	15 4	50 17	

BE IT FURTHER RESOLVED: That, at the request of the manufacturer, the listed engine models are **conditionally certified** to, and shall be required to comply with, all amendments to Title 13, California Code of Regulations, Sections 2420 through 2429 adopted by the Board on January 28, 2000 at its hearing "TO CONSIDER AMENDMENTS TO OFF-ROAD COMPRESSION-IGNITION ENGINE REGULATIONS: 2000 AND LATER EMISSION STANDARDS, COMPLIANCE REQUIREMENTS AND TEST PROCEDURES." The listed engine models comply with all such amendments, including, but not limited to:

- the amended "Emission Control Labels—1996 and Later Off-Road Compression-Ignition Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model-year;
- the Board's amended emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 and 2426) for the listed engine models, as demonstrated by materials submitted by the manufacturer; and
- new California requirements for the Selective Enforcement Audit (SEA) for the listed engine models, as demonstrated by the manufacturer's submission of materials.

BE IT FURTHER RESOLVED: That the conditional certification described in the paragraph above is conditioned on the amendments being approved by the California Office of Administrative Law (OAL) pursuant to Government Code Section 11349.3, and where necessary, authorized by the Administrator of the U. S. Environmental Protection Agency (U.S. EPA) pursuant to Section 209(e)(2) of the Federal Clean Air Act. In the event that the OAL disapproves the amendments or the U.S. EPA decides not to authorize them, the ARB shall notify the manufacturer that the listed engine models must comply with the "California Exhaust Emission Standards and Test Procedures for 1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Sections 2420 through 2427) adopted on May 12, 1993, as applicable. Failure to demonstrate compliance within 45 days after notification by the Air Resources Board shall be cause for the Board to revoke the Executive Order and deem the listed engine models uncertified.

The conditional certification described herein is not conditioned on further U.S. EPA action on amendments determined by the Board to be within the scope of an existing U.S. EPA authorization.

Engines certified under this Executive Order must conform to the above requirements under Title 13, California Code of Regulations, Chapter 9, Article 4, and all other applicable California emission laws and regulations.

Executed at El Monte, California this \_\_\_\_\_\_\_

R. B. Summerfield, Chief

Mobile Source Operations Division

day of June 2000.

### Engine Model Sumary Form

Manufacturer:

**Case Corporation** 

Engine category:

Nonroad CI

EPA Engine Family: 1X9XL0540AAA

Mfr Family Name: A563

Process Code:

**New Submission** 

	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	(for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torq	9.Emission Control ue Device Per SAE J1930
2535,FR90479	6TAA-9004	325@2000	164	110.6	1150@1400	214	101.0	PDT PCM, TC, CAC

## Miscellaneous Part Names and Numb for Engine Family: 1X9XL0540AAA

CPL 2535 6TAA-9004	***************************************
CPL 2535 6TAA-9004 CPL 2535 6TAA-9004 CPL 2535 6TAA-9004	
CPL 2535 6TAA-9004 CPL 2535 6TAA-9004	· · · · · · · · · · · · · · · · · · ·
CPL 2535 6TAA-9004	

#### Part Number Summary Form

Manufacturer:

**Case Corporation** 

Engine category:

Nonroad CI

EPA Engine Family: 1X9XL0540AAA

Mfr Family Name: A563

Process Code:

**New Submission** 

					Electronic Control	After Treatment	Smoke Puff	Sensor A	ssemblies
Engine Code	Engine Model	Injection Pump	Injector	Turbo Charge	Module	Device (Specify)	Limiter		Part Number
CPL 2535	6TAA-9004	4009874	3948607	3538221	3944880			Boost Sensor	3348747
CPL 2535	6TAA-9004			3538232	erre mane analis				
CPL 2535	6TAA-9004	•		and the second second		and the state of the	the way may be seen	Coolant Temp	3865346
		4		3538235				int Man Temp	3408345
CPL 2535	6TAA-9004			3538239		***		AmbientPressure	3085140
CPL 2535	6TAA-9004							and the second	***
		***		and the second of the second	salah di di di			Engine Position	4002066